New Jersey Division of AIDS Prevention and Control Persons Living with HIV/AIDS as of June 30, 2002 Atlantic County Residents

		Adult/Adolescent *		Pediat	ric *			Tota	al
1.	Current HIV/AIDS Category	Cases %		Cases	% 		-	lases	%
	AIDS-Any OI AIDS-CD4 Only HIV Only	200 15 455 34 687 51		# 0 #	 # 0 #			203 455 690	15 34 51
	Total	1342 100		6	100			1348	100
2.	Current Age * Cases %	3. Race/Eth.		Adult/. Cases	%	Pedia Cases	%	Tota Cases	%
	<pre><5 0 0 5-12 # # 13-19 # # 20-29 67 5 30-39 435 32 40-49 568 42 50+ 268 20 Unk. 0 0 </pre>	White, Not Hisp Black, Not Hisp Hispanic Other/Unknown Total	panic panic	#	# 57 17 # 	# 5 0 #	# 83 0 #	332 774 225	25 57 17 1
4.	Total 1348 100 Patient Group	Males	%		Female	s %		Tota	
	Men sex with men (MSM) Injection drug user (IDU) MSM/IDU Heterosexual contact Risk not reported/other***	292 386 47 79 164	30 40 5 8 17		 0 192 0 101 79	0 52 0 27 21		57 4 18 24	92 22 78 43 47 4 80 13 43 18
	Total	968			372	100		134	
		Males	Pec %	diatric	Transm Female		n Mod	les Tota	al %
	Parent at risk/has AIDS/HI Risk not reported/other***		 # #		 # #	#			8 100 0 0
	Total	#	#		#				8 100

NOTE: Includes only those persons known to be infected with HIV.

- # Indicates that number is not shown due to small cell size, in accordance with NJDHSS security and confidentiality policies.
- * Classification based on current age at the end of June 2002.
- ** # patients are currently of adult/adolescent age (13+ years old), but have evidence of having been HIV-infected as children. They are counted as adult/adolescent reports in tables 1,2, and 3, and as pediatric reports in table 4.
- *** Included in this category are persons with modes of transmission of coagulation disorder and transfusion with blood/blood products.

New Jersey Division of AIDS Prevention and Control AIDS Cases Reported as of June 30, 2002 Atlantic County Residents

	Adult/Ado	lescent*	Pedi	atric*	To	tal
1. Disease Category	Cases (%)	Deaths (%)	Cases (%)	Deaths (%)	Cases (%)	Deaths (%)
PCP	335 (23)	258 (77)	9 (64)	6 (67)	344 (23)	264 (77)
Other OI w/o PCP	452 (30)	333 (74)	5 (36)	5 (100)	457 (31)	338 (74)
KS Alone	18 (1)	14 (78)	0 (0)	0 (.)	18 (1)	14 (78)
No Disease Listed	677 (46)	222 (33)	0 (0)	0 (.)	677 (45)	222 (33)
Total	1482 (100)	827 (56)	14 (100)	11 (79)	1496 (100)	838 (56)
2. Age * Cases	% 3. Race	/Eth.	Adult/Adl* Cases %	Pediatric* Cases %	Total Cases %	

					Adult/	Adl*	Pediatr	`lC*	Total	
2.	Age *	Cases	용	Race/Eth.	Cases	용	Cases	용	Cases	%
	Under 5	12	1	White, Not Hispanic	#	#	#	#	469	31
	5-12	#	0	Black, Not Hispanic	818	55	8	57	826	55
	13-19	#	0	Hispanic	#	#	#	#	192	13
	20-29	229	15	Other/Unknown	9	1	0	0	9	1
	30-39	657	44							
	40-49	440	29	Total	1482	100	14	100	1496	100
	Over 49	152	10							
	Unknown	0	0							

1. Patient Group	Ad	lult/Adol	escent Transı	missio	on Modes **	
	Males	%	Females	왕	Total	왕
Men sex with men (MSM)	414	 36			414	28
Injection drug user (IDU)	491	42	191	60	682	46
MSM/IDU	76	7	0	0	76	5
Heterosexual contact	51	4	69	22	120	8
Risk not reported/other***	134	11	56	18	190	13
Total	1166	100	316	100	1482	100

			diatric Transmis			
Mal	es 	용 	Females	왕 	Total	%
Parent at risk/has AIDS/HIV	7	88	6	100	13	93
Risk not reported/other***	#	13	0	0	#	7
Total	8	100	6	100	14	100

[#] Indicates that number is not shown due to small cell size, in accordance with NJDHSS security and confidentiality policies.

Total

1496 100

^{*} Classification at time of AIDS diagnosis.

^{** 0} patients were diagnosed with AIDS as adults, but have evidence either of having been HIV-infected or of having acquired AIDS as children. They are counted as adult/adolescent reports in tables 1,2, and 3; and as pediatric reports in table 4.

^{***} Included in this category are persons with modes of transmission of coagulation disorder and transfusion with blood/blood products.

New Jersey Division of AIDS Prevention and Control AIDS Cases Reported as of June 30, 2002 Atlantic County Residents

5. AIDS Cases by Year of Diagnosis.

Year of Diagnosis	Number of Cases	Number of Deaths	Case-Fatality Rate
Before 1985	10	10	100%
1985	10	9	90%
1986	15	15	100%
1987	23	21	91%
1988	52	47	90%
1989	98	84	86%
1990	103	81	79%
1991	101	87	86%
1992	147	114	78%
1993	156	110	71%
1994	132	65	49%
1995	139	61	44%
1996	104	35	34%
1997	96	27	28%
1998	69	22	32%
1999	83	26	31%
2000	70	18	26%
2001	66	6	9%
2002	22	0	0%
Total	1496	838	56%

[#] Indicates that number is not shown due to small cell size, in accordance with NJDHSS security and confidentiality policies.

New Jersey Division of AIDS Prevention and Control HIV INFECTION-not-AIDS Reports with Identifiers Reported as of June 30, 2002 Atlantic County Residents

				Adult/A	Adl*	Pediat	ric*	Total	
1. Age *	Cases	%	Race/Ethnicity	Cases	용	Cases	%	Cases	%
Under 5	5	1	White, Not Hispanic	188	24	0	0	188	24
5-12	0	0	Black, Not Hispanic	#	#	#	#	438	56
13-19	13	2	Hispanic	#	#	#	#	137	18
20-29	197	25	Other/Unknown	14	2	0	0	14	2
30-39	337	43							
40-49	191	25	Total	772	100	5	100	777	100
Over 49	34	4							
Unknown	0	0							
Total	777	100							

Patient Group	Adult/Adolescent Transmission Modes **									
	Males	%	Females %	Total	%					
Men sex with men (MSM)	149	28	0 0	149	19					
Injection drug user (IDU)	217	41	123 50	340	44					
MSM/IDU	27	5	0 0	27	3					
Heterosexual contact	47	9	71 29	118	15					
Risk not reported/other***	87	17	51 21	138	18					
Total	527	100	245 100	772	100					
		Pedia	tric Transmission	n Modes						
	Males	%	Females %	Total	%					
Parent at risk/has AIDS/HIV	#	100	# 100	 5	100					
Risk not reported/other***	0	0	0 0	0	0					
Total	#	100	# 100	 5	100					

NOTE: Includes only those persons known to be infected with HIV.

3

- # Indicates that number is not shown due to small cell size, in accordance with NJDHSS security and confidentiality policies.
- * Classification at time of first HIV+ test or at time of report if not yet confirmed HIV+.
- ** 0 patients were diagnosed with HIV as adults, but have evidence of having been HIV-infected as children. They are counted as adult/adolescent reports in tables 1 and 2; and as pediatric reports in table 3.
- $\ ^{***}$ Included in this category are persons with modes of transmission of coagulation disorder and transfusion with blood/blood products.

NOTE: These tables include those reports of HIV Positive infection that have not yet been updated to AIDS status. Not included in these tables are cases initially reported as HIV-not-AIDS that have subsequently been updated to AIDS. Also not included in these tables are HIV Perinatal Exposure Reports where the serostatus of the child is not confirmed HIV Positive; i.e., the HIV serostatus of the child is undetermined or has been found to be negative (seroreverted).

New Jersey Division of AIDS Prevention and Control HIV/AIDS Cases Reported as of June 30, 2002 Atlantic County Residents

					Adult/Adol	lescent *	Ped	liatr	ic *			Total		
1.	Current H	IV/AIDS Ca			Cases	% 	Case	es -	% 				왕 	
	AIDS-Any (AIDS-CD4 (HIV Only	OI Only			805 677 772	36 30 34	1	0	74 0 26		8 6 7	19 77 77	36 30 34	
	Total				2254	100	1	.9	100		22		100	
2.	_	Cases		3.	Race/Eth.		Adult/A	%	Cas	es			To Cases	tal %
	Under 5 5-12 13-19 20-29	#	# # 1 22		White, Not Black, Not Hispanic Other/Unkr	Hispanic Hispanic		# 56 #		# 12 #	# 63		657 1264 329 23	56
	40-49	572 158 #	25 7 0		Total		2254	100		19	100		2273	100
	Total													
4.	Patient G	roup				Males	lt/Adoles %	F	emales	%		Total		
	Men sex w Injection MSM/IDU Heterosex Risk not	drug user	(IDU)			563 708 103 98 221	42 6 6		0 314 0 140 107	0 56 0			25 45 5 11	
								_						

2254 100

	Pediatric Transmission Modes						
Ma	les	४	Females	%	Tot	al	%
Parent at risk/has AIDS/HIV	11	92	7	100		18	95
Risk not reported/other***	#	8	0	0		#	5
Total	12	100	7	100		19	100

1693 100

561 100

NOTE: Includes only those persons known to be infected with HIV.

- Indicates that number is not shown due to small cell size, in accordance with NJDHSS security and confidentiality policies.
- * Classification at time of first HIV+/AIDS diagnosis.

Total

- ** 0 patients were diagnosed with HIV/AIDS as adults, but have evidence of having been HIV-infected as children. They are counted as adult/adolescent reports in tables 1,2 and 3; and as pediatric reports in table 4.
- *** Included in this category are persons with modes of transmission of coagulation disorder and transfusion with blood/blood products.

New Jersey Division of AIDS Prevention and Control HIV/AIDS Cases Reported as of June 30, 2002 Atlantic County Residents

5. ${\tt HIV/AIDS}$ Cases by Year of First ${\tt HIV/AIDS}$ Diagnosis.

Year of First HIV/AIDS Diagnos	is Cases	Number Known Dead	Case-Fatality Rate
Before 1985	17	14	82%
1985	20	14	70%
1986	34	24	71%
1987	53	39	74%
1988	93	70	75%
1989	135	104	77%
1990	175	121	69%
1991	169	116	69%
1992	293	110	38%
1993	216	76	35%
1994	223	70	31%
1995	167	53	32%
1996	128	28	22%
1997	142	25	18%
1998	98	24	24%
1999	96	17	18%
2000	94	13	14%
2001	99	7	7%
2002	18	0	0%
Unknown	#	0	0%
Total	2273	925	41%

[#] Indicates that number is not shown due to small cell size, in accordance with NJDHSS security and confidentiality policies.